

FOKKER F.27 WITH RELOCATED AIR CONNECTIONS


STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	22-7D5044-01	27-1-31-78-519	FUSELAGE-NACELLE LH DE-ICE BOOT	1	14.0
2	22-7D5044-02	27-1-31-78-520	FUSELAGE-NACELLE RH DE-ICE BOOT	1	14.0
3	22-7D5044-03	27-1-31-78-291	NACELLE-LIGHT LH DE-ICE BOOT	1	12.9
4	22-7D5044-04	27-1-31-78-292	NACELLE-LIGHT RH DE-ICE BOOT	1	12.9
5	22-7D5044-05	27-1-31-78-293	LIGHT-FIRST BREAK LH DE-ICE BOOT	1	14.2
6	22-7D5044-06	27-1-31-78-294	LIGHT-FIRST BREAK RH DE-ICE BOOT	1	14.2
7	22-7D5044-07	27-1-31-78-295	FIRST BREAK-SECOND BREAK LH DE-ICE BOOT	1	12.6
8	22-7D5044-08	27-1-31-78-296	FIRST BREAK-SECOND BREAK RH DE-ICE BOOT	1	12.6
9	22-7D5044-09	27-1-31-78-297	SECOND BREAK-TIP LH DE-ICE BOOT	1	12.5
10	22-7D5044-10	27-1-31-78-298	SECOND BREAK-TIP RH DE-ICE BOOT	1	12.5
11	22-7D5044-11	27-1-21-78-905	INBOARD HORIZONTAL STABILIZER LH DE-ICE BOOT	1	10.5
12	22-7D5044-12	27-1-21-78-906	INBOARD HORIZONTAL STABILIZER RH DE-ICE BOOT	1	10.5
13	22-7D5044-13	27-1-21-78-907	OUTBOARD HORIZONTAL STABILIZER LH DE-ICE BOOT	1	7.6
14	22-7D5044-14	27-1-21-78-908	OUTBOARD HORIZONTAL STABILIZER RH DE-ICE BOOT	1	7.6
15	21-7D5044-15	27-1-31-78-299	VERTICAL STABILIZER DE-ICE BOOT	1	18.7

FOKKER F.27 WITH RELOCATED AIR CONNECTIONS

FOKKER F.27 WITH RELOCATED AIR CONNECTIONS

FOKKER F.27 WITH RELOCATED AIR CONNECTIONS




FOKKER F.27 WITH ORIGINAL AIR CONNECTIONS

STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	22-7D5044-01	27-1-31-78-519	FUSELAGE-NACELLE LH DE-ICE BOOT	1	14.0
2	22-7D5044-02	27-1-31-78-520	FUSELAGE-NACELLE RH DE-ICE BOOT	1	14.0
3	22-7D5044-03	27-1-31-78-291	NACELLE-LIGHT LH DE-ICE BOOT	1	12.9
4	22-7D5044-04	27-1-31-78-292	NACELLE-LIGHT RH DE-ICE BOOT	1	12.9
5	22-7D5044-05	27-1-31-78-293	LIGHT-FIRST BREAK LH DE-ICE BOOT	1	14.2
6	22-7D5044-06	27-1-31-78-294	LIGHT-FIRST BREAK RH DE-ICE BOOT	1	14.2
7	22-7D5044-07	27-1-31-78-295	FIRST BREAK-SECOND BREAK LH DE-ICE BOOT	1	12.6
8	22-7D5044-08	27-1-31-78-296	FIRST BREAK-SECOND BREAK RH DE-ICE BOOT	1	12.6
9	22-7D5044-17	27-1-21-78-297	SECOND BREAK-TIP LH DE-ICE BOOT	1	12.5
10	22-7D5044-18	27-1-21-78-298	SECOND BREAK-TIP RH DE-ICE BOOT	1	12.5
11	22-7D5044-19	27-1-21-78-905	INBOARD HORIZONTAL STABILIZER LH DE-ICE BOOT	1	10.5
12	22-7D5044-20	27-1-21-78-906	INBOARD HORIZONTAL STABILIZER RH DE-ICE BOOT	1	10.5
13	22-7D5044-21	27-1-21-78-907	OUTBOARD HORIZONTAL STABILIZER LH DE-ICE BOOT	1	7.6
14	22-7D5044-22	27-1-21-78-908	OUTBOARD HORIZONTAL STABILIZER RH DE-ICE BOOT	1	7.6
15	21-7D5044-15	27-1-31-78-299	VERTICAL STABILIZER DE-ICE BOOT	1	18.7

FOKKER F.27 WITH ORIGINAL AIR CONNECTIONS

FOKKER F.27 WITH ORIGINAL AIR CONNECTIONS



FOKKER F.27 WITH ORIGINAL AIR CONNECTIONS

FOKKER 50 (F.27 MARK 050)
STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	30S-7D5185-01		FUSELAGE-NACELLE LH (ESTANE®) DE-ICE BOOT	1	9.2
2	30S-7D5185-02		FUSELAGE-NACELLE RH (ESTANE®) DE-ICE BOOT	1	9.2
3	30S-7D5185-03		NACELLE-LIGHT LH (ESTANE®) DE-ICE BOOT	1	8.5
4	30S-7D5185-04		NACELLE-LIGHT RH (ESTANE®) DE-ICE BOOT	1	8.5
5	30S-7D5185-05		LIGHT-FIRST BREAK LH DE-ICE BOOT	1	9.4
6	30S-7D5185-06		LIGHT-FIRST BREAK RH DE-ICE BOOT	1	9.4
7	29S-7D5185-07		FIRST BREAK-SECOND BREAK LH DE-ICE BOOT	1	7.8
8	29S-7D5185-08		FIRST BREAK-SECOND BREAK RH DE-ICE BOOT	1	7.8
9	29S-7D5185-09		SECOND BREAK-TIP LH DE-ICE BOOT	1	7.1
10	29S-7D5185-10		SECOND BREAK-TIP RH DE-ICE BOOT	1	7.1
11	30S-7D5185-11		INBOARD HORIZONTAL STABILIZER LH (ESTANE®) DE-ICE BOOT	1	6.6
12	30S-7D5185-12		INBOARD HORIZONTAL STABILIZER RH (ESTANE®) DE-ICE BOOT	1	6.6
13	29S-7D5185-13		OUTBOARD HORIZONTAL STABILIZER LH (ESTANE®) DE-ICE BOOT	1	4.0
14	29S-7D5185-14		OUTBOARD HORIZONTAL STABILIZER RH (ESTANE®) DE-ICE BOOT	1	4.0
15	29S-7D5185-15		VERTICAL STABILIZER DE-ICE BOOT	1	13.0

*ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

FASTboot® DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P30S-7D5185-01		FASTBOOT® FUSELAGE-NACELLE LH (ESTANE®) DE-ICE BOOT	1	9.2
2	P30S-7D5185-02		FASTBOOT® FUSELAGE-NACELLE RH (ESTANE®) DE-ICE BOOT	1	9.2
3	P30S-7D5185-03		FASTBOOT® NACELLE-LIGHT LH (ESTANE®) DE-ICE BOOT	1	8.5
4	P30S-7D5185-04		FASTBOOT® NACELLE-LIGHT RH (ESTANE®) DE-ICE BOOT	1	8.5
5	P30S-7D5185-05		FASTBOOT® LIGHT-FIRST BREAK LH DE-ICE BOOT	1	9.4
6	P30S-7D5185-06		FASTBOOT® LIGHT-FIRST BREAK RH DE-ICE BOOT	1	9.4
7	P29S-7D5185-07		FASTBOOT® FIRST BREAK-SECOND BREAK LH DE-ICE BOOT	1	7.8

(CONTINUED ON PAGE 399)


FOKKER 50 (F.27 MARK 050)

FOKKER 50 (F.27 MARK 050)

FASTboot® DE-ICE BOOTS (CONTINUED)

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
8	P29S-7D5185-08		FASTBOOT® FIRST BREAK-SECOND BREAK RH DE-ICE BOOT	1	7.8
9	P29S-7D5185-09		FASTBOOT® SECOND BREAK-TIP LH DE-ICE BOOT	1	7.1
10	P29S-7D5185-10		FASTBOOT® SECOND BREAK-TIP RH DE-ICE BOOT	1	7.1
11	P30S-7D5185-11		FASTBOOT® INBOARD HORIZONTAL STABILIZER LH (ESTANE®) DE-ICE BOOT	1	6.6
12	P30S-7D5185-12		FASTBOOT® INBOARD HORIZONTAL STABILIZER RH (ESTANE®) DE-ICE BOOT	1	6.6
13	P29S-7D5185-13		FASTBOOT® OUTBOARD HORIZONTAL STABILIZER LH (ESTANE®) DE-ICE BOOT	1	4.0
14	P29S-7D5185-14		FASTBOOT® OUTBOARD HORIZONTAL STABILIZER RH (ESTANE®) DE-ICE BOOT	1	4.0
15	P29S-7D5185-15		FASTBOOT® VERTICAL STABILIZER DE-ICE BOOT	1	13.0

*ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL



FOKKER 50 (F.27 MARK 050)