


M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA26-AT (MERLIN) (MERLIN II/IIA/IIB)
STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	23S-2073-1-1		NACELLE-LIGHT LH DE-ICE BOOT	1	4.4
2	23S-2073-1-2		NACELLE-LIGHT RH DE-ICE BOOT	1	4.4
3	23S-2073-2-1		LIGHT-TIP LH DE-ICE BOOT	1	6.1
4	23S-2073-2-2		LIGHT-TIP RH DE-ICE BOOT	1	6.1
5	23S-2073-3-1		HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	3.8
6	23S-2073-5-1		VERTICAL STABILIZER DE-ICE BOOT	1	2.4

OPTIONAL STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	23S-2073-6-1*		BREAK-LIGHT LH DE-ICE BOOT	1	2.6
2	23S-2073-6-2*		BREAK-LIGHT RH DE-ICE BOOT	1	2.6

*THE 6-1 AND 6-2 PARTS ARE USED IN PLACE OF THE 1-1 AND 1-2 ON THE SA-26T ONLY IN NON-STANDARD APPLICATIONS


M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA26-AT (MERLIN) (MERLIN II/IIA/IIB)

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA26-T (MERLIN II/IIA/IIB)


STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	23S-2073-1-1		NACELLE-LIGHT LH DE-ICE BOOT	1	4.4
2	23S-2073-1-2		NACELLE-LIGHT RH DE-ICE BOOT	1	4.4
3	23S-2073-2-1		LIGHT-TIP LH DE-ICE BOOT	1	6.1
4	23S-2073-2-2		LIGHT-TIP RH DE-ICE BOOT	1	6.1
5	23S-2073-3-1		HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	3.8
6	23S-2073-5-1		VERTICAL STABILIZER DE-ICE BOOT	1	2.4

OPTIONAL STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	23S-2073-6-1*		BREAK-LIGHT LH DE-ICE BOOT	1	2.6
2	23S-2073-6-2*		BREAK-LIGHT RH DE-ICE BOOT	1	2.6

*THE 6-1 AND 6-2 PARTS ARE USED IN PLACE OF THE 1-1 AND 1-2 ON THE SA-26T ONLY IN NON-STANDARD APPLICATIONS



M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA26-T (MERLIN II/IIA/IIB)

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA226-AT (MERLIN IVA)

STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	25S-5D5071-01		NACELLE-TIP LH DE-ICE BOOT	1	6.0
2	25S-5D5071-02		NACELLE-TIP RH DE-ICE BOOT	1	6.0
3	25S-5D5071-03		HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	2.8

OPTIONAL STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	25S-5D5071-61		NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.0
1	29S-7D5211-01*		NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.8
2	29S-7D5211-02*		NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.8
2	25S-5D5071-62		NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.0
3	29S-7D5211-05*		HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	3.2

*29S-7D5211 DE-ICERS ARE INTERCHANGABLE WITH EQUIVALENT 25S-5D5071 DE-ICERS

ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

FASTboot® DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P25S-5D5071-01		FASTBOOT® NACELLE-TIP LH DE-ICE BOOT	1	6.0
2	P25S-5D5071-02		FASTBOOT® NACELLE-TIP RH DE-ICE BOOT	1	6.0
3	P25S-5D5071-03		FASTBOOT® HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	2.8

OPTIONAL FASTboot® DE-ICE BOOTS


POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P25S-5D5071-61		FASTBOOT® NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.0
1	P29S-7D5211-01*		FASTBOOT® NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.8
2	P29S-7D5211-02*		FASTBOOT® NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.8
2	P25S-5D5071-62		FASTBOOT® NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.0
3	P29S-7D5211-05*		FASTBOOT® HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	3.2

*(P)29S-7D5211 DE-ICERS ARE INTERCHANGABLE WITH EQUIVALENT (P)25S-5D5071 DE-ICERS

ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA226-AT (MERLIN IVA)

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA226-AT (MERLIN IVA)



M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA226-AT (MERLIN IVA)

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA226-AT (MERLIN IVA) S/N AT-002 UP
STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	25S-5D5071-01		NACELLE-TIP LH DE-ICE BOOT	1	6.0
2	25S-5D5071-02		NACELLE-TIP RH DE-ICE BOOT	1	6.0
3	25S-5D5071-03		HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	2.8

OPTIONAL STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	25S-5D5071-61		NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.0
1	29S-7D5211-01*		NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.8
2	29S-7D5211-02*		NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.8
2	25S-5D5071-62		NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.0
3	29S-7D5211-05*		HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	3.2

*29S-7D5211 DE-ICERS ARE INTERCHANGABLE WITH EQUIVALENT 25S-5D5071 DE-ICERS

ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

FASTboot® DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P25S-5D5071-01		FASTBOOT® NACELLE-TIP LH DE-ICE BOOT	1	6.0
2	P25S-5D5071-02		FASTBOOT® NACELLE-TIP RH DE-ICE BOOT	1	6.0
3	P25S-5D5071-03		FASTBOOT® HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	2.8

OPTIONAL FASTboot® DE-ICE BOOTS


POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P25S-5D5071-61		FASTBOOT® NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.0
1	P29S-7D5211-01*		FASTBOOT® NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.8
2	P29S-7D5211-02*		FASTBOOT® NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.8
2	P25S-5D5071-62		FASTBOOT® NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.0
3	P29S-7D5211-05*		FASTBOOT® HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	3.2

*(P)29S-7D5211 DE-ICERS ARE INTERCHANGABLE WITH EQUIVALENT (P)25S-5D5071 DE-ICERS

ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA226-AT (MERLIN IVA) S/N AT-002 UP

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA226-AT (MERLIN IVA) S/N AT-002 UP



M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA226-AT (MERLIN IVA) S/N AT-002 UP

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA226-TC (METRO II) S/N TC-201 UP
STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	25S-5D5071-01		NACELLE-TIP LH DE-ICE BOOT	1	6.0
2	25S-5D5071-02		NACELLE-TIP RH DE-ICE BOOT	1	6.0
3	25S-5D5071-03		HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	2.8

OPTIONAL STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	25S-5D5071-61		NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.0
1	29S-7D5211-01*		NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.8
2	29S-7D5211-02*		NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.8
2	25S-5D5071-62		NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.0
3	29S-7D5211-05*		HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	3.2

*29S-7D5211 DE-ICERS ARE INTERCHANGABLE WITH EQUIVALENT 25S-5D5071 DE-ICERS

ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

FASTboot® DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P25S-5D5071-01		FASTBOOT® NACELLE-TIP LH DE-ICE BOOT	1	6.0
2	P25S-5D5071-02		FASTBOOT® NACELLE-TIP RH DE-ICE BOOT	1	6.0
3	P25S-5D5071-03		FASTBOOT® HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	2.8

OPTIONAL FASTboot® DE-ICE BOOTS


POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P25S-5D5071-61		FASTBOOT® NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.0
1	P29S-7D5211-01*		FASTBOOT® NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.8
2	P29S-7D5211-02*		FASTBOOT® NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.8
2	P25S-5D5071-62		FASTBOOT® NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.0
3	P29S-7D5211-05*		FASTBOOT® HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	3.2

* (P)29S-7D5211 DE-ICERS ARE INTERCHANGABLE WITH EQUIVALENT (P)25S-5D5071 DE-ICERS

ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA226-TC (METRO II) S/N TC-201 UP

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA226-TC (METRO II) S/N TC-201 UP



M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA226-TC (METRO II) S/N TC-201 UP

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA226-T (MERLIN III) S/N T-202 UP
STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	25S-5D5071-01		NACELLE-TIP LH DE-ICE BOOT	1	6.0
2	25S-5D5071-02		NACELLE-TIP RH DE-ICE BOOT	1	6.0
3	25S-5D5071-03		HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	2.8

OPTIONAL STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	25S-5D5071-61		NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.0
1	29S-7D5211-01*		NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.8
2	29S-7D5211-02*		NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.8
2	25S-5D5071-62		NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.0
3	29S-7D5211-05*		HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	3.2

*29S-7D5211 DE-ICERS ARE INTERCHANGABLE WITH EQUIVALENT 25S-5D5071 DE-ICERS

ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

FASTboot® DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P25S-5D5071-01		FASTBOOT® NACELLE-TIP LH DE-ICE BOOT	1	6.0
2	P25S-5D5071-02		FASTBOOT® NACELLE-TIP RH DE-ICE BOOT	1	6.0
3	P25S-5D5071-03		FASTBOOT® HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	2.8

OPTIONAL FASTboot® DE-ICE BOOTS


POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P25S-5D5071-61		FASTBOOT® NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.0
1	P29S-7D5211-01*		FASTBOOT® NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.8
2	P29S-7D5211-02*		FASTBOOT® NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.8
2	P25S-5D5071-62		FASTBOOT® NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.0
3	P29S-7D5211-05*		FASTBOOT® HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	3.2

* (P)29S-7D5211 DE-ICERS ARE INTERCHANGABLE WITH EQUIVALENT (P)25S-5D5071 DE-ICERS

ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA226-T (MERLIN III) S/N T-202 UP

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA226-T (MERLIN III) S/N T-202 UP



M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA226-T (MERLIN III) S/N T-202 UP

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA227-AT (MERLIN IV/IVC)

STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	25S-5D5071-01		NACELLE-TIP LH DE-ICE BOOT	1	6.0
2	25S-5D5071-02		NACELLE-TIP RH DE-ICE BOOT	1	6.0
3	25S-5D5071-15		WING TIP EXTENSION LH/RH DE-ICE BOOT	2	1.8
4	25S-5D5071-03		HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	2.8

OPTIONAL STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	25S-5D5071-61		NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.0
1	29S-7D5211-01*		NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.8
2	29S-7D5211-02*		NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.8
2	25S-5D5071-62		NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.0
3	29S-7D5211-03		WING TIP EXTENSION LH/RH DE-ICE BOOT	2	1.7
4	29S-7D5211-05*		HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	3.2

* (P)29S-7D5211 DE-ICERS ARE INTERCHANGABLE WITH EQUIVALENT (P)25S-5D5071 DE-ICERS

ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

FASTboot® DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P25S-5D5071-01		FASTBOOT® NACELLE-TIP LH DE-ICE BOOT	1	6.0
2	P25S-5D5071-02		FASTBOOT® NACELLE-TIP RH DE-ICE BOOT	1	6.0
3	P25S-5D5071-15		FASTBOOT® WING TIP EXTENSION LH/RH DE-ICE BOOT	2	1.8
4	P25S-5D5071-03		FASTBOOT® HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	2.8

OPTIONAL FASTboot® DE-ICE BOOTS


POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P25S-5D5071-61		FASTBOOT® NACELLE-TIP LH DE-ICE BOOT	1	6.0
1	P29S-7D5211-01*		FASTBOOT® NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.8
2	P29S-7D5211-02*		FASTBOOT® NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.8
2	P25S-5D5071-62		FASTBOOT® NACELLE-TIP RH DE-ICE BOOT	1	6.0
3	P29S-7D5211-03		FASTBOOT® WING TIP EXTENSION LH/RH DE-ICE BOOT	2	1.7
4	P29S-7D5211-05*		FASTBOOT® HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	3.2

* (P)29S-7D5211 DE-ICERS ARE INTERCHANGABLE WITH EQUIVALENT (P)25S-5D5071 DE-ICERS

ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA227-AT (MERLIN IV/IVC)

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA227-AT (MERLIN IV/IVC)



M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA227-AT (MERLIN IV/IVC)

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA227-AT S/N AT-734 THRU AT-745
STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	25S-5D5071-13		FUSELAGE-NACELLE LH DE-ICE BOOT	1	1.7
2	25S-5D5071-14		FUSELAGE-NACELLE RH DE-ICE BOOT	1	1.7
3	25S-5D5071-01		NACELLE-TIP LH DE-ICE BOOT	1	6.0
4	25S-5D5071-02		NACELLE-TIP RH DE-ICE BOOT	1	6.0
5	25S-5D5071-15		WING TIP EXTENSION LH/RH DE-ICE BOOT	2	1.8
6	25S-5D5071-03		HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	2.8

OPTIONAL STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	25S-5D5071-61		NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.0
1	29S-7D5211-01*		NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.8
2	29S-7D5211-02*		NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.8
2	25S-5D5071-62		NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.0
5	29S-7D5211-03*		WING TIP EXTENSION LH/RH DE-ICE BOOT	2	1.7
6	29S-7D5211-05*		HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	3.2

* (P)29S-7D5211 DE-ICERS ARE INTERCHANGABLE WITH EQUIVALENT (P)25S-5D5071 DE-ICERS

ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

FASTboot® DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P25S-5D5071-13		FASTBOOT® FUSELAGE-NACELLE LH DE-ICE BOOT	1	1.7
2	P25S-5D5071-14		FASTBOOT® FUSELAGE-NACELLE RH DE-ICE BOOT	1	1.7
3	P25S-5D5071-01		FASTBOOT® NACELLE-TIP LH DE-ICE BOOT	1	6.0
4	P25S-5D5071-02		FASTBOOT® NACELLE-TIP RH DE-ICE BOOT	1	6.0
5	P25S-5D5071-15		FASTBOOT® WING TIP EXTENSION LH/RH DE-ICE BOOT	2	1.8
6	P25S-5D5071-03		FASTBOOT® HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	2.8

OPTIONAL FASTboot® DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
3	P25S-5D5071-61		FASTBOOT® NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.0
3	P29S-7D5211-01*		FASTBOOT® NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.8
4	P29S-7D5211-02*		FASTBOOT® NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.8

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA227-AT S/N AT-734 THRU AT-745


M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA227-AT S/N AT-734 THRU AT-745

OPTIONAL FASTboot® DE-ICE BOOTS (CONTINUED)

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
4	P25S-5D5071-62		FASTBOOT® NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.0
5	P29S-7D5211-03*		FASTBOOT® WING TIP EXTENSION LH/RH DE-ICE BOOT	2	1.7
6	P29S-7D5211-05*		FASTBOOT® HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	3.2

* (P)29S-7D5211 DE-ICERS ARE INTERCHANGABLE WITH EQUIVALENT (P)25S-5D5071 DE-ICERS

ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL



M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA227-AT S/N AT-734 THRU AT-745

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA227-TT (MERLIN IIIC)

STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	25S-5D5071-01		NACELLE-TIP LH DE-ICE BOOT	1	6.0
2	25S-5D5071-02		NACELLE-TIP RH DE-ICE BOOT	1	6.0
3	25S-5D5071-03		HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	2.8

OPTIONAL STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	25S-5D5071-61		NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.0
1	29S-7D5211-01*		NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.8
2	29S-7D5211-02*		NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.8
2	25S-5D5071-62		NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.0
3	29S-7D5211-05*		HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	3.2

* (P)29S-7D5211 DE-ICERS ARE INTERCHANGABLE WITH EQUIVALENT (P)25S-5D5071 DE-ICERS

ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

FASTboot® DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P25S-5D5071-01		FASTBOOT® NACELLE-TIP LH DE-ICE BOOT	1	6.0
2	P25S-5D5071-02		FASTBOOT® NACELLE-TIP RH DE-ICE BOOT	1	6.0
3	P25S-5D5071-03		FASTBOOT® HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	2.8

OPTIONAL FASTboot® DE-ICE BOOTS


POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P25S-5D5071-61		FASTBOOT® NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.0
1	P29S-7D5211-01*		FASTBOOT® NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.8
2	P29S-7D5211-02*		FASTBOOT® NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.8
2	P25S-5D5071-62		FASTBOOT® NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.0
3	P29S-7D5211-05*		FASTBOOT® HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	3.2

* (P)29S-7D5211 DE-ICERS ARE INTERCHANGABLE WITH EQUIVALENT (P)25S-5D5071 DE-ICERS

ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA227-TT (MERLIN IIIC)

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA227-TT (MERLIN III C)



M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA227-TT (MERLIN III C)

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA227-TT 300 (MERLIN 300)
STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	25S-5D5071-05		FUSELAGE-NACELLE LH DE-ICE BOOT	1	1.4
2	25S-5D5071-06		FUSELAGE-NACELLE RH DE-ICE BOOT	1	1.4
3	25S-5D5071-01		NACELLE-TIP LH DE-ICE BOOT	1	6.0
4	25S-5D5071-02		NACELLE-TIP RH DE-ICE BOOT	1	6.0
5	25S-5D5071-03		HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	2.8

OPTIONAL STANDARD DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	25S-5D5071-61		NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.0
1	29S-7D5211-07*		FUSELAGE-NACELLE LH DE-ICE BOOT	1	1.6
2	25S-5D5071-62		NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.0
2	29S-7D5211-08*		FUSELAGE-NACELLE RH DE-ICE BOOT	1	1.6
3	29S-7D5211-01*		NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.8
4	29S-7D5211-02*		NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.8
5	29S-7D5211-05*		HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	3.2

* (P)29S-7D5211 DE-ICERS ARE INTERCHANGABLE WITH EQUIVALENT (P)25S-5D5071 DE-ICERS

ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

FASTboot® DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P25S-5D5071-05		FUSELAGE-NACELLE LH DE-ICE BOOT	1	1.4
2	P25S-5D5071-06		FUSELAGE-NACELLE RH DE-ICE BOOT	1	1.4
3	P25S-5D5071-01		FASTBOOT® NACELLE-TIP LH DE-ICE BOOT	1	6.0
4	P25S-5D5071-02		FASTBOOT® NACELLE-TIP RH DE-ICE BOOT	1	6.0
5	P25S-5D5071-03		FASTBOOT® HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	2.8

OPTIONAL FASTboot® DE-ICE BOOTS

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P25S-5D5071-61		FASTBOOT® NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.0
1	P29S-7D5211-07*		FASTBOOT® FUSELAGE-NACELLE LH DE-ICE BOOT	1	1.6
2	P29S-7D5211-08*		FASTBOOT® FUSELAGE-NACELLE RH DE-ICE BOOT	1	1.6

*(P)29S-7D5211 DE-ICERS ARE INTERCHANGABLE WITH EQUIVALENT (P)25S-5D5071 DE-ICERS


ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

(CONTINUED ON PAGE 439)

M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA227-TT 300 (MERLIN 300)

OPTIONAL FASTboot® DE-ICE BOOTS (CONTINUED)

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
2	P25S-5D5071-62		FASTBOOT® NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.0
3	P29S-7D5211-01*		FASTBOOT® NACELLE-TIP LH (ESTANE®) DE-ICE BOOT	1	6.8
4	P29S-7D5211-02*		FASTBOOT® NACELLE-TIP RH (ESTANE®) DE-ICE BOOT	1	6.8
5	P29S-7D5211-05*		FASTBOOT® HORIZONTAL STABILIZER LH/RH DE-ICE BOOT	2	3.2



M7 AEROSPACE (FAIRCHILD/SWEARINGEN) SA227-TT 300 (MERLIN 300)