

**VIKING AIR LTD. (DEHAVILLAND) DHC-7-1**
**STANDARD DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	29S-7D5136-51	C7SC0058-001	NACELLE-NACELLE LH (ESTANE®) DE-ICE BOOT	1	7.3
2	29S-7D5136-52	C7SC0058-002	NACELLE-NACELLE RH (ESTANE®) DE-ICE BOOT	1	7.3
3	29S-7D5136-53	C7SC0058-011	NACELLE-BREAK LH (ESTANE®) DE-ICE BOOT	1	7.2
4	29S-7D5136-54	C7SC0058-012	NACELLE-BREAK RH (ESTANE®) DE-ICE BOOT	1	7.2
5	29S-7D5136-55	C7SC0058-009	BREAK-TIP LH (ESTANE®) DE-ICE BOOT	1	8.4
6	29S-7D5136-56	C7SC0058-010	BREAK-TIP RH (ESTANE®) DE-ICE BOOT	1	8.4
7	29S-7D5136-57	C7SC0058-007	HORIZONTAL STABILIZER LH (ESTANE®) DE-ICE BOOT	1	10.6
8	29S-7D5136-58	C7SC0058-008	HORIZONTAL STABILIZER RH (ESTANE®) DE-ICE BOOT	1	10.6
9	29S-5D5136-59	C7SC0057	ENGINE AIR INLET (ESTANE®) DE-ICE BOOT	4	1.3

**OPTIONAL STANDARD DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	29S-7D5136-63	C7SC0058-013	NACELLE-BREAK LH (ESTANE®) DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2
2	29S-7D5136-64	C7SC0058-014	NACELLE-BREAK RH (ESTANE®) DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2

\* ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

**FASTboot® DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P29S-7D5136-51	C7SC0058-001	FASTBOOT® NACELLE-NACELLE LH ESTANE® DE-ICE BOOT	1	7.3
2	P29S-7D5136-52	C7SC0058-002	FASTBOOT® NACELLE-NACELLE RH ESTANE® DE-ICE BOOT	1	7.3
3	P29S-7D5136-53	C7SC0058-011	FASTBOOT® NACELLE-BREAK LH ESTANE® DE-ICE BOOT	1	7.2
4	P29S-7D5136-54	C7SC0058-012	FASTBOOT® NACELLE-BREAK RH ESTANE® DE-ICE BOOT	1	7.2
5	P29S-7D5136-55	C7SC0058-009	FASTBOOT® BREAK-TIP LH ESTANE® DE-ICE BOOT	1	8.4
6	P29S-7D5136-56	C7SC0058-010	FASTBOOT® BREAK-TIP RH ESTANE® DE-ICE BOOT	1	8.4
7	P29S-7D5136-57	C7SC0058-007	FASTBOOT® HORIZONTAL STABILIZER LH ESTANE® DE-ICE BOOT	1	10.6
8	P29S-7D5136-58	C7SC0058-008	FASTBOOT® HORIZONTAL STABILIZER RH ESTANE® DE-ICE BOOT	1	10.6


**VIKING AIR LTD. (DEHAVILLAND) DHC-7-1**

**VIKING AIR LTD. (DEHAVILLAND) DHC-7-1**

**OPTIONAL FASTboot® DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P29S-7D5136-63	C7SC0058-013	FASTBOOT® NACELLE-BREAK LH ESTANE® DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2
2	P29S-7D5136-64	C7SC0058-014	FASTBOOT® NACELLE-BREAK RH ESTANE® DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2

\* ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL



VIKING AIR LTD. (DEHAVILLAND) DHC-7-1

**VIKING AIR LTD. (DEHAVILLAND) DHC-7-100**
**STANDARD DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	29S-7D5136-51	C7SC0058-001	NACELLE-NACELLE LH (ESTANE®) DE-ICE BOOT	1	7.3
2	29S-7D5136-52	C7SC0058-002	NACELLE-NACELLE RH (ESTANE®) DE-ICE BOOT	1	7.3
3	29S-7D5136-53	C7SC0058-011	NACELLE-BREAK LH (ESTANE®) DE-ICE BOOT	1	7.2
4	29S-7D5136-54	C7SC0058-012	NACELLE-BREAK RH (ESTANE®) DE-ICE BOOT	1	7.2
5	29S-7D5136-55	C7SC0058-009	BREAK-TIP LH (ESTANE®) DE-ICE BOOT	1	8.4
6	29S-7D5136-56	C7SC0058-010	BREAK-TIP RH (ESTANE®) DE-ICE BOOT	1	8.4
7	29S-7D5136-57	C7SC0058-007	HORIZONTAL STABILIZER LH (ESTANE®) DE-ICE BOOT	1	10.6
8	29S-7D5136-58	C7SC0058-008	HORIZONTAL STABILIZER RH (ESTANE®) DE-ICE BOOT	1	10.6
9	29S-5D5136-59	C7SC0057	ENGINE AIR INLET (ESTANE®) DE-ICE BOOT	4	1.3

**OPTIONAL STANDARD DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	29S-7D5136-63	C7SC0058-013	NACELLE-BREAK LH (ESTANE®) DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2
2	29S-7D5136-64	C7SC0058-014	NACELLE-BREAK RH (ESTANE®) DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2

\* ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

**FASTboot® DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P29S-7D5136-51	C7SC0058-001	FASTBOOT® NACELLE-NACELLE LH ESTANE® DE-ICE BOOT	1	7.3
2	P29S-7D5136-52	C7SC0058-002	FASTBOOT® NACELLE-NACELLE RH ESTANE® DE-ICE BOOT	1	7.3
3	P29S-7D5136-53	C7SC0058-011	FASTBOOT® NACELLE-BREAK LH ESTANE® DE-ICE BOOT	1	7.2
4	P29S-7D5136-54	C7SC0058-012	FASTBOOT® NACELLE-BREAK RH ESTANE® DE-ICE BOOT	1	7.2
5	P29S-7D5136-55	C7SC0058-009	FASTBOOT® BREAK-TIP LH ESTANE® DE-ICE BOOT	1	8.4
6	P29S-7D5136-56	C7SC0058-010	FASTBOOT® BREAK-TIP RH ESTANE® DE-ICE BOOT	1	8.4
7	P29S-7D5136-57	C7SC0058-007	FASTBOOT® HORIZONTAL STABILIZER LH ESTANE® DE-ICE BOOT	1	10.6
8	P29S-7D5136-58	C7SC0058-008	FASTBOOT® HORIZONTAL STABILIZER RH ESTANE® DE-ICE BOOT	1	10.6


**VIKING AIR LTD. (DEHAVILLAND) DHC-7-100**

**VIKING AIR LTD. (DEHAVILLAND) DHC-7-100**

**OPTIONAL FASTboot® DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P29S-7D5136-63	C7SC0058-013	FASTBOOT® NACELLE-BREAK LH ESTANE® DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2
2	P29S-7D5136-64	C7SC0058-014	FASTBOOT® NACELLE-BREAK RH ESTANE® DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2

\* ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL



**VIKING AIR LTD. (DEHAVILLAND) DHC-7-100**

**VIKING AIR LTD. (DEHAVILLAND) DHC-7-101**
**STANDARD DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	29S-7D5136-51	C7SC0058-001	NACELLE-NACELLE LH (ESTANE®) DE-ICE BOOT	1	7.3
2	29S-7D5136-52	C7SC0058-002	NACELLE-NACELLE RH (ESTANE®) DE-ICE BOOT	1	7.3
3	29S-7D5136-53	C7SC0058-011	NACELLE-BREAK LH (ESTANE®) DE-ICE BOOT	1	7.2
4	29S-7D5136-54	C7SC0058-012	NACELLE-BREAK RH (ESTANE®) DE-ICE BOOT	1	7.2
5	29S-7D5136-55	C7SC0058-009	BREAK-TIP LH (ESTANE®) DE-ICE BOOT	1	8.4
6	29S-7D5136-56	C7SC0058-010	BREAK-TIP RH (ESTANE®) DE-ICE BOOT	1	8.4
7	29S-7D5136-57	C7SC0058-007	HORIZONTAL STABILIZER LH (ESTANE®) DE-ICE BOOT	1	10.6
8	29S-7D5136-58	C7SC0058-008	HORIZONTAL STABILIZER RH (ESTANE®) DE-ICE BOOT	1	10.6
9	29S-5D5136-59	C7SC0057	ENGINE AIR INLET (ESTANE®) DE-ICE BOOT	4	1.3

**OPTIONAL STANDARD DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	29S-7D5136-63	C7SC0058-013	NACELLE-BREAK LH (ESTANE®) DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2
2	29S-7D5136-64	C7SC0058-014	NACELLE-BREAK RH (ESTANE®) DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2

\* ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

**FASTboot® DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P29S-7D5136-51	C7SC0058-001	FASTBOOT® NACELLE-NACELLE LH ESTANE® DE-ICE BOOT	1	7.3
2	P29S-7D5136-52	C7SC0058-002	FASTBOOT® NACELLE-NACELLE RH ESTANE® DE-ICE BOOT	1	7.3
3	P29S-7D5136-53	C7SC0058-011	FASTBOOT® NACELLE-BREAK LH ESTANE® DE-ICE BOOT	1	7.2
4	P29S-7D5136-54	C7SC0058-012	FASTBOOT® NACELLE-BREAK RH ESTANE® DE-ICE BOOT	1	7.2
5	P29S-7D5136-55	C7SC0058-009	FASTBOOT® BREAK-TIP LH ESTANE® DE-ICE BOOT	1	8.4
6	P29S-7D5136-56	C7SC0058-010	FASTBOOT® BREAK-TIP RH ESTANE® DE-ICE BOOT	1	8.4
7	P29S-7D5136-57	C7SC0058-007	FASTBOOT® HORIZONTAL STABILIZER LH ESTANE® DE-ICE BOOT	1	10.6
8	P29S-7D5136-58	C7SC0058-008	FASTBOOT® HORIZONTAL STABILIZER RH ESTANE® DE-ICE BOOT	1	10.6


**VIKING AIR LTD. (DEHAVILLAND) DHC-7-101**

**VIKING AIR LTD. (DEHAVILLAND) DHC-7-101**

**OPTIONAL FASTboot® DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P29S-7D5136-63	C7SC0058-013	FASTBOOT® NACELLE-BREAK LH ESTANE® DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2
2	P29S-7D5136-64	C7SC0058-014	FASTBOOT® NACELLE-BREAK RH ESTANE® DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2

\* ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL



**VIKING AIR LTD. (DEHAVILLAND) DHC-7-101**

**VIKING AIR LTD. (DEHAVILLAND) DHC-7-102**
**STANDARD DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	29S-7D5136-51	C7SC0058-001	NACELLE-NACELLE LH (ESTANE®) DE-ICE BOOT	1	7.3
2	29S-7D5136-52	C7SC0058-002	NACELLE-NACELLE RH (ESTANE®) DE-ICE BOOT	1	7.3
3	29S-7D5136-53	C7SC0058-011	NACELLE-BREAK LH (ESTANE®) DE-ICE BOOT	1	7.2
4	29S-7D5136-54	C7SC0058-012	NACELLE-BREAK RH (ESTANE®) DE-ICE BOOT	1	7.2
5	29S-7D5136-55	C7SC0058-009	BREAK-TIP LH (ESTANE®) DE-ICE BOOT	1	8.4
6	29S-7D5136-56	C7SC0058-010	BREAK-TIP RH (ESTANE®) DE-ICE BOOT	1	8.4
7	29S-7D5136-57	C7SC0058-007	HORIZONTAL STABILIZER LH (ESTANE®) DE-ICE BOOT	1	10.6
8	29S-7D5136-58	C7SC0058-008	HORIZONTAL STABILIZER RH (ESTANE®) DE-ICE BOOT	1	10.6
9	29S-5D5136-59	C7SC0057	ENGINE AIR INLET (ESTANE®) DE-ICE BOOT	4	1.3

**OPTIONAL STANDARD DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	29S-7D5136-63	C7SC0058-013	NACELLE-BREAK LH (ESTANE®) DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2
2	29S-7D5136-64	C7SC0058-014	NACELLE-BREAK RH (ESTANE®) DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2

\* ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

**FASTboot® DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P29S-7D5136-51	C7SC0058-001	FASTBOOT® NACELLE-NACELLE LH ESTANE® DE-ICE BOOT	1	7.3
2	P29S-7D5136-52	C7SC0058-002	FASTBOOT® NACELLE-NACELLE RH ESTANE® DE-ICE BOOT	1	7.3
3	P29S-7D5136-53	C7SC0058-011	FASTBOOT® NACELLE-BREAK LH ESTANE® DE-ICE BOOT	1	7.2
4	P29S-7D5136-54	C7SC0058-012	FASTBOOT® NACELLE-BREAK RH ESTANE® DE-ICE BOOT	1	7.2
5	P29S-7D5136-55	C7SC0058-009	FASTBOOT® BREAK-TIP LH ESTANE® DE-ICE BOOT	1	8.4
6	P29S-7D5136-56	C7SC0058-010	FASTBOOT® BREAK-TIP RH ESTANE® DE-ICE BOOT	1	8.4
7	P29S-7D5136-57	C7SC0058-007	FASTBOOT® HORIZONTAL STABILIZER LH ESTANE® DE-ICE BOOT	1	10.6
8	P29S-7D5136-58	C7SC0058-008	FASTBOOT® HORIZONTAL STABILIZER RH ESTANE® DE-ICE BOOT	1	10.6


**VIKING AIR LTD. (DEHAVILLAND) DHC-7-102**

**VIKING AIR LTD. (DEHAVILLAND) DHC-7-102**

**OPTIONAL FASTboot® DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P29S-7D5136-63	C7SC0058-013	FASTBOOT® NACELLE-BREAK LH ESTANE® DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2
2	P29S-7D5136-64	C7SC0058-014	FASTBOOT® NACELLE-BREAK RH ESTANE® DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2

\* ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL



VIKING AIR LTD. (DEHAVILLAND) DHC-7-102



**VIKING AIR LTD. (DEHAVILLAND) DHC-7-103**
**STANDARD DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	29S-7D5136-51	C7SC0058-001	NACELLE-NACELLE LH (ESTANE®) DE-ICE BOOT	1	7.3
2	29S-7D5136-52	C7SC0058-002	NACELLE-NACELLE RH (ESTANE®) DE-ICE BOOT	1	7.3
3	29S-7D5136-53	C7SC0058-011	NACELLE-BREAK LH (ESTANE®) DE-ICE BOOT	1	7.2
4	29S-7D5136-54	C7SC0058-012	NACELLE-BREAK RH (ESTANE®) DE-ICE BOOT	1	7.2
5	29S-7D5136-55	C7SC0058-009	BREAK-TIP LH (ESTANE®) DE-ICE BOOT	1	8.4
6	29S-7D5136-56	C7SC0058-010	BREAK-TIP RH (ESTANE®) DE-ICE BOOT	1	8.4
7	29S-7D5136-57	C7SC0058-007	HORIZONTAL STABILIZER LH (ESTANE®) DE-ICE BOOT	1	10.6
8	29S-7D5136-58	C7SC0058-008	HORIZONTAL STABILIZER RH (ESTANE®) DE-ICE BOOT	1	10.6
9	29S-5D5136-59	C7SC0057	ENGINE AIR INLET (ESTANE®) DE-ICE BOOT	4	1.3

**OPTIONAL STANDARD DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	29S-7D5136-63	C7SC0058-013	NACELLE-BREAK LH (ESTANE®) DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2
2	29S-7D5136-64	C7SC0058-014	NACELLE-BREAK RH (ESTANE®) DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2

\* ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL

**FASTboot® DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P29S-7D5136-51	C7SC0058-001	FASTBOOT® NACELLE-NACELLE LH ESTANE® DE-ICE BOOT	1	7.3
2	P29S-7D5136-52	C7SC0058-002	FASTBOOT® NACELLE-NACELLE RH ESTANE® DE-ICE BOOT	1	7.3
3	P29S-7D5136-53	C7SC0058-011	FASTBOOT® NACELLE-BREAK LH ESTANE® DE-ICE BOOT	1	7.2
4	P29S-7D5136-54	C7SC0058-012	FASTBOOT® NACELLE-BREAK RH ESTANE® DE-ICE BOOT	1	7.2
5	P29S-7D5136-55	C7SC0058-009	FASTBOOT® BREAK-TIP LH ESTANE® DE-ICE BOOT	1	8.4
6	P29S-7D5136-56	C7SC0058-010	FASTBOOT® BREAK-TIP RH ESTANE® DE-ICE BOOT	1	8.4
7	P29S-7D5136-57	C7SC0058-007	FASTBOOT® HORIZONTAL STABILIZER LH ESTANE® DE-ICE BOOT	1	10.6
8	P29S-7D5136-58	C7SC0058-008	FASTBOOT® HORIZONTAL STABILIZER RH ESTANE® DE-ICE BOOT	1	10.6


**VIKING AIR LTD. (DEHAVILLAND) DHC-7-103**

**VIKING AIR LTD. (DEHAVILLAND) DHC-7-103**

**STANDARD DE-ICE BOOTS**

POSITION ID	GOODRICH PART NUMBER	AIRCRAFT OEM P/N	DESCRIPTION	QTY PER AIRCRAFT	WT
1	P29S-7D5136-63	C7SC0058-013	FASTBOOT® NACELLE-BREAK LH ESTANE® DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2
2	P29S-7D5136-64	C7SC0058-014	FASTBOOT® NACELLE-BREAK RH ESTANE® DE-ICE BOOT (AREA FOR STALL BAR)	1	7.2

\* ESTANE® DE-ICERS HAVE A SURFACE PLY RESISTANT TO DIESTER TYPE ENGINE OIL



**VIKING AIR LTD. (DEHAVILLAND) DHC-7-103**